

# Integrated Pest Management



03309 125 005

[uksales@propertyinspect.com](mailto:uksales@propertyinspect.com)

Prepared on behalf of Sample Pest Control Ltd

Property inspected by Nilesh Patel

## Address

---

123  
Sample Street  
Sample City  
Sampleshire  
ABC 123



## Carried Out

---

**October  
1st 2021**

## Contents

|                            |   |
|----------------------------|---|
| Notes .....                | 2 |
| Disclaimers .....          | 4 |
| Areas .....                | 5 |
| Site Details .....         | 5 |
| Site Risk Assessment ..... | 5 |
| Location Plan .....        | 5 |
| Site Inspection 1 .....    | 6 |
| Actions .....              | 7 |
| Declaration .....          | 9 |

## Notes

### 1 Identification of the preparation and the supplying Company

- 1.1 Bird Barrier Optical Gel - Pest bird deterrent. Supplied in plastic dishes.
- 1.2 Bird Barrier America, Inc. 20925 Chico Street, Carson, CA 90746, USA
- 1.3 Emergency telephone 310-527-8000 2

Hazards identification Product is not classified as hazardous.

3 Composition and information on ingredients Ingredient CAS no. Content Inert base Active ingredients 9002-18-0/8012-89-3 8006-90-4/8000-29-1 >96% <4%

### 4 First Aid measures

- 4.1 Inhalation: Unlikely risk via this route.
- 4.2 Contact with skin: Wipe off product using tissues/cloths. Wash skin with soap and water.
- 4.3 Contact with eye: Gently remove gross product from eye area. Irrigate eye with water or eye-wash solution. Get medical attention.
- 4.4 Ingestion: Unlikely route of entry. Wipe out mouth, rinse with water. Seek medical attention. Advice for doctor: Product contains cosmetic oil gel and vegetable plant oils.

### 5 Fire-fighting measures

- 5.1 Suitable extinguishing media: Dry chemical, foam or carbon dioxide.
- 5.2 Unsuitable extinguishing media: Indoor or outdoor hydrant facilities, sprinkler, water jet.
- 5.3 Fire and explosion hazards: Product does not pose a flammability hazard but will burn in a fire. No explosion risk.
- 5.4 Special protective equipments: Irritating and highly toxic gasses, carbon oxides, such as carbon dioxide, carbon monoxide may be generated by thermal decomposition or combustion. Self-contained breathing apparatus should be worn by fire fighters.

### 6 Accidental release measures

- 6.1 Wear gloves.
- 6.2 Wipe up spilled material and place in a marked container.
- 6.3 Wash area with detergent and water. Mop dry.

### 7 Handling and storage

- 7.1 Handling: Handle according to product label instructions.
- 7.2 Storage: Store in a cool, dry place. Protect from frost.
- 7.3 Specific use: Use only in accordance with the label "Directions for Use".

### 8 Exposure controls and personal protection

- 8.1 Exposure limit values: None established.
- 8.2 Exposure controls: Use according to label instructions.
  - 8.2.1 Occupational exposure controls (a) Respiratory protection: None required.
  - (b) Hand protection: Wear Unlined/Flock-lined, synthetic rubber/PVC to EN347 (300mm in length) gloves. E.g. Nitrile.
  - (c) Eye protection: Wear goggles to EN1663459B when dealing with gross spillage incidents.
  - (d) Skin protection: Wear gloves.
- 8.2.2 Environmental exposure controls: Collect material at end of a treatment regime. Secure material as described on the label.

### 9 Physical and chemical properties

- 9.1. General information Appearance: Light yellow gel with slight herb odour.
- 9.2 Odour: Herb. pH: Not established.
- 9.3 Boiling point/boiling range: Not established.
- 9.4 Flash point: None. Flammability/self ignition/ explosive, oxidising properties: None.
- 9.5 Water solubility: Negligible.
- 9.6 Viscosity: Not measured. Product is a viscous gel.
- 9.7 Vapour pressure: No data.
- 9.8 Partition coefficient: n-octanol/water: No data.
- 9.9 Safety Data Sheet Page 2 of 2 SDS: Bird Barrier Optical Gel ISSUE NO. 3 Issue date: August 2016

### 10 Stability and reactivity Stable under normal conditions.

- 10.1 Condition to avoid: None.
- 10.2 Material to avoid: None.
- 10.3 Hazardous decomposition products: None except when product involved in a fire – see paragraph 5.

### 11 Toxicological information Product is not classified as hazardous.

- 11.1 Product may produce irritation/sensitisation by skin or eye contact. No known effects regarding repeat dose toxicity, mutagenic, carcinogenic or reproductive system toxic effects. Acute oral effect
- 11.2 The oral LD50 of Bird Barrier Optical Gel is more than 2,000 mg/kg in male and female rats.
- 11.3 Acute dermal effect The LD50 (dermal) of Bird Barrier Optical Gel is more than 2,000 mg/kg in male and female rats.
- 11.4 Eye irritation Bird Barrier Optical Gel is evaluated as a non-irritant with 1.33 of AOI (acute ocular irritation) in rabbits.
- 11.5 Skin irritation Bird Barrier Optical Gel is evaluated as a non-irritant with 0 of PII (primary irritation index) in rabbits. Skin sensitization

The score of skin reaction after treatment of Bird Barrier Optical Gel is graded I with 5% sensitization rate in guinea pig.

### 12 Ecological information • Not classified as hazardous to the environment.

- 12.1 Risks to non-target creatures are controlled by adhering to the product label directions for use and technical advice.
- 12.2 LC50 in 95% lower and upper confidence limits is more than 100mg/L in Cyprinus carpio.

13 Disposal considerations

13.1 Empty containers: Caulking tubes. Empty completely.

13.2 Dispose as controlled, non-hazard classified plastic waste. EWC code no. 15 01 02. 13.3 Unused/recovered materials:

13.3.1 Contact supplier for further specific advice.

13.4 Contaminated PPE/wipes: Dispose of as controlled, non-hazard classified waste. Use EWC code: - 15 02 03.

14 Transport information Not classified as hazardous for transport.

15 Regulatory information

15.1 This preparation has been classified in accordance with The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009: CHIP 4.

15.2 These implement the Dangerous Preparations Directive- 99/35/EC.

15.3 This Safety Data Sheet complies with Annex II of the REACH regulations. Restricted to professional users.

15.4 Refer to other relevant measures such as the Health and Safety at Work etc Act 1974 and the COSHH regulations and guidance.

The information contained in this data sheet does not constitute the user's own assessment of workplace risks as required by legislation.

15.4.1 Hazard symbols: - Not classified as hazardous.

15.4.2 Risk phrases: - None assigned.

15.4.3 Safety phrases: - None assigned.

16 Other information Use only in accordance with label instructions. For professional use only. Operatives using this product should be trained in its use. The information in this data sheet should be considered when undertaking a risk assessment under the COSHH regulations.

This data sheet does not constitute a COSHH assessment. The Chemicals Regulation Directorate of the Health and Safety Executive granted Bird Barrier derogation under the Biocidal Products Directive on the basis that its active ingredients are food grade material and are present at the same levels found in foods.

The information contained within this data sheet is strictly for general guidance only and should not be relied upon over and above this. This data sheet is intended to provide general health and safety guidance on the handling, storage and transportation of the preparation.

The information provided in this data sheet is accurate at the date of publication and will be updated as and when appropriate.

No liability will be accepted by Bird Barrier America, Inc. for any loss, injury or damage arising from any failure to comply with the information and advice contained within this data sheet and/or failure to comply with the manufacturer's guidelines, product label data and any associated technical usage literature.

Incorporates the REACH requirement changes to safety data sheets. This issue update incorporates composition information.

## Disclaimers

### PRECAUTIONS

To minimise risks to all occupants your co-operation with the following precautions is necessary.

**Liquid sprays:** keep unprotected persons and animals away from treated areas until surfaces are dry.

**Powder:** If there is a small amount of overspill powder found after the Pest Control Officer has left, please remove using a disposable wet cloth and place the cloth into the bin. Otherwise contact the Pest Control team

**Do not** use a brush or vacuum on any overspill.

**If the following incidents happen follow the instructions immediately:**

**Skin** contact – wash with warm water, rinse thoroughly

**Eye** contact – irrigate with plenty of warm water for at least ten minutes

**Ingestion/mouth** contact – rinse mouth and spit several times.

**In each instance seek medical advice and take this form with you.**

You can obtain further confidential health advice and information from NHS Direct, on 111 at any time.

For a couple of hours immediately after treatment you may see heightened activity from the wasps and we advise that you to keep away from the area (including animals) and close nearby windows and doors.

Wasp nests will usually die within 24 – 48 hours of treatment but you may still see a few wasps for a number of days.

Once the nest has died it should be OK to leave where it is. It will not cause damage to your property and any new wasps will not use an old nest.

If you feel that the treatment has not worked please contact us.

| 1. SITE DETAILS |                         |  |
|-----------------|-------------------------|--|
| Ref             | Name                    | Condition                              |
| 1.1             | Client Name             | Harry Stevens                          |
| 1.2             | Client Address          | 30 Soho Sq, London, W1 5ST             |
| 1.3             | Client Contact No.      | 07123456789                            |
| 1.4             | Client Email            | client@samplepestcontroltd.com         |
| 1.5             | Emergency Contact       | N/A                                    |
| 1.6             | Site Type               | Commercial Office                      |
| 1.7             | Site Access Information | Buzzer ask for Mr Client in Facilities |

| 2. SITE RISK ASSESSMENT |   |        |  |
|-------------------------|---|--------|--|
| Ref                     | Question  | Answer | Comments   |
| 2.1                     | Are there any non target species in the vicinity? | No     | Site secured with 6ft fencing                                |
| 2.2                     | Is the site near a school?                        | No     | Approx 2 miles away  |
| 2.3                     | Is this a new installation?                       | No     | Regular routine visit  |
| 2.4                     | Is this a routine service?                        | Yes    | Next service is scheduled in 2 months from date of visit     |
| 2.5                     | Is this a treatment visit?                        | No     | Part treatment will be done if infestation or issues sighted |
| 2.6                     | Are there any EFK units at site?                  | Yes    | In the Kitchen   |
| 2.7                     | Has a location plan been completed / updated?     | No     | Will do on completion of visit                               |

| 3. LOCATION PLAN |              |              |                           |           |
|------------------|--------------|--------------|---------------------------|-----------|
| Ref              | Level        | Location     | Bait Stations             | State No. |
| 3.1              | Basement     | Reception    | Rat Box                   | 4         |
| 3.2              | Ground Floor | Kitchen      | Insect Monitor , Bait Box | 5         |
| 3.2.1            | -            | Kitchen      | EFK                       | 1         |
| 3.3              | First Floor  | Meeting room | Bait Box                  | 2         |
| 3.4              | Second Floor | Server room  | Insect Monitor , Rat Box  | 4         |

| 3. LOCATION PLAN (CONT.) |              |                  |                                  |   |
|--------------------------|--------------|------------------|----------------------------------|---|
| 3.5                      | Third Floor  | Riser cupboard   | Bait Box, Insect Monitor         | 3 |
| 3.6                      | Fourth Floor | Riser cupboard   | Bait Box, Insect Monitor         | 3 |
| 3.7                      | Top Floor    | Maintenance room | Bait Box                         | 2 |
| 3.7.1                    | -            | Maintenance room | Insect Monitor                   | 1 |
| 3.8                      | Roof Area    | Roof space       | Netting/Spikes, Optical Gel Pots | 4 |

| 4. SITE INSPECTION 1 |              |                     |              |  |           |  |   |
|----------------------|--------------|---------------------|--------------|--|-----------|--|---|
| Ref                  | Level        | Room / Area         | Pest / Issue | Action   | Completed | Comment  | Further measures/ treatment                                   |
| 4.1                  | Basement     | Reception           | Rodent       | Intense baiting required                           | Yes       | Large amount of droppings concentrated to rear room                                    | Hygiene control, Increase coverage<br>Needs Cleaning - Tenant |
| 4.2                  | Basement     | Stationery cupboard | Rodent       | Requires biocidal clean , Intense baiting required | Yes       | Cleaned and installed extra bait   | Increase coverage   |
| 4.3                  | Ground Floor | Back storage room   | Hygiene      | No action required                                 | Yes       | Advised on the need to remove rubbish, store items on shelving and to clean frequently | Hygiene control<br>Needs Cleaning - Tenant                    |
| 4.4                  | Ground Floor | Kitchen             | Cockroach    | Requires fumigation                                | No        | Overnight treatment booked   | Schedule 3 visits   |
| 4.5                  | First Floor  | Meeting room        | Hygiene      | Requires biocidal clean                            | Yes       | Rodent droppings noted behind stacked furniture  | Hygiene control<br>Needs Cleaning - Tenant                    |
| 4.6                  | Second Floor | Server room         | Insect       | Requires monitoring , Requires fumigation          | No        | Overnight treatment booked   | Schedule 3 visits   |
| 4.7                  | Third Floor  | Riser cupboard      | Rodent       | Needs full proofing                                | Yes       | Completed  |   |
| 4.8                  | Fourth Floor | Riser cupboard      | Insect       | Requires monitoring                                | Yes       | Monitor over next 5 months   | Schedule 3 visits   |

**4. SITE INSPECTION 1 (CONT.)**

|      |           |                  |                 |                     |     |  |                         |
|------|-----------|------------------|-----------------|---------------------|-----|--|-------------------------|
| 4.9  | Top Floor | Maintenance room | Entry/exit hole | Needs full proofing | Yes | Filled with mastic   | Other                   |
| 4.10 | Roof Area | Roof space       | Ferrel birds    | Needs full proofing | N/A | Droppings to rear top window ledge and rooftop. Job quoted | Install netting/spikes/ |



Ref # 4.1



Ref # 4.2



Ref # 4.3



Ref # 4.4



Ref # 4.5



Ref # 4.6



Ref # 4.10

**Actions Required**

| Ref                                  | Action Required | Responsibility | Comments                    |
|--------------------------------------|-----------------|----------------|-----------------------------|
| 4.1 Site Inspection 1 » Basement     | Needs Cleaning  | Tenant         | Deep clean of area required |
| <br>Ref # 4.1                        |                 |                |                             |
| 4.3 Site Inspection 1 » Ground Floor | Needs Cleaning  | Tenant         | Tidy and clean of room      |

**Actions Required**



Ref # 4.3

[4.5](#) Site Inspection 1 » First Floor

Needs Cleaning

Tenant

Thorough clean required; cleaners to be instructed for initial deep clean



Ref # 4.5

## Declaration

### Agreement

The Officer has explained the use of the above product. I understand the precautions. I agree to both the treatment and to pay any charge levied.

*Clerk*

KEV PATEL

Signed by the .....

Signature .....

Print Name .....

Date            /     /

Signed by the .....

Signature .....

Print Name .....

Date            /     /